

OTHER TOXICOLOGICAL INFORMATION

Skin Irritation: Moderately irritating
Eye Irritation: Mildly irritating
Sensitizer: Not a dermal sensitizer

4. FIRST AID MEASURES

Eye: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Inhalation: Move to well ventilated area. Clear airway and support respiration if necessary. Seek medical attention.

Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

5. FIRE FIGHTING MEASURES

NFPA Rating: **Health:** 0 **Fire:** 2 **Reactivity:** 0

Flammability Class: Combustible liquid

Flash Point: 191°F, 88.3°C

Explosive Limits (% of Volume): Upper: Unknown; Lower: Unknown

Extinguishing Media: Foam, CO2, dry chemical, water, fog

Special Protective Equipment: Wear protective clothing, eye protection, and self-contained breathing apparatus.

Fire Fighting Procedures: Normal procedures. Do not allow product to enter drainage system or waterways.

Combustion Products: Carbon monoxide and carbon dioxide

Unusual Fire/Explosion Hazards: Explosive hazards are moderate when vapors are exposed to heat or flame.

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken: Cover with inert absorbent. Avoid contact with heat or open flame. Avoid breathing vapors. Provide ventilation and avoid skin contact. Place all material in metal drum that can be effectively sealed. Do not contaminate surface or domestic water supply.

Absorbents: Clay granules, sawdust, dirt or equivalent.

Incompatibles: Oxidizers

7. HANDLING AND STORAGE

Handling: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of the gloves before removing. Then wash thoroughly and change into clean clothing.

Storage: Do not contaminate water, food, or feed by storage. Store in a cool dry place.

8. EXPOSURE CONTROL / PERSONAL MEASURES

Exposure Limits: Not Applicable

Ventilation: Use with adequate ventilation.

Personal Protective Equipment: Under normal use, special protective equipment is not needed. If extended exposure is anticipated, it is recommended to wear a MSHA/NIOSH approved respirator with organic vapor cartridge, impervious gloves and chemical goggles or safety glasses with side shields.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Amber liquid, aromatic solvent odor.

Boiling Point: greater than 218°C

Melting Point: Not applicable

Vapor Pressure (mm Hg): < 0.1 mm Hg

Vapor Density (Air = 1): < 5.9

Specific Gravity: 0.858

Bulk Density: 7.1 lbs/gal

Solubility: Forms emulsion in water

Evaporation Rate: < 0.01 (n-Butyl acetate = 1.0)

pH: 6.69

10. STABILITY AND REACTIVITY

Stability: Stable

Reactivity: Non-reactive

**Incompatibility w/ Other
Materials:** Oxidizers

Decomposition Products: Carbon monoxide, carbon dioxide

Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

CHRONIC TOXICITY [Based on (RS) Methoprene]

Methoprene is not considered as an oncogenic compound. The NOEL for non-carcinogen effects in an 18-month mouse study was 250ppm.

DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Based on (RS) Methoprene]

Methoprene is not a teratogenic compound. The NOEL for maternal and embryo toxicity in rabbits was 200/mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.

MUTAGENICITY [Based on (RS) Methoprene]

Methoprene is not a mutagenic compound.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE [Based on (RS) Methoprene]

Hydrolysis: T1/2 > 4 weeks)

Photolysis: T1/2 < 10 hours)

Soil half life: ~ 10 days)

Water solubility: < 2 ppm)

ECOTOXICITY [Based on (S) Methoprene]

Acute Toxicity: fish:LC50 (trout): 760 ppb, (bluegill): > 370 ppb ;
aquatic invertebrates:LC50 (Daphnia): 360 ppb

13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by disposal. **Pesticide Disposal:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

14. TRANSPORT INFORMATION

DOT49CFR Description: Not Applicable

Freight Classification: Insecticides N.O.I O/T Poison NMCF 1-102120 CL 60

15. REGULATORY INFORMATION

CERCLA (Superfund): Niniate 401-A (dodecylbenzene sulfonic acid, calcium salt) – RQ = 10 lbs.

Cas#26264-06-2

RCRA: Not Regulated

SARA 311/312 HAZARD CATEGORIES

Immediate Health: Yes (irritation)

Delayed Health: No

Fire: Yes (combustible liquid)

Sudden Pressure: No

Reactivity: No

The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.